



# BORN OF GREATNESS

FROM THE MAKERS OF HAYABUSA AND GSX-R



ED XER

METALLIC TRITON BLUE





POWERED BY













### GIXXER SF/GIXXER FEATURES



To complement the mass forward design of the motorcycle along with offering long and wide field of view from its extremely beadlamn.



Compact design with highly illuminated LED lights.



All necessary functions are packed into a stylish yet compact full-digital speedometer.



Increased rigidity around the front section to rightly suit the separate



Anti-Lock Brake System\* applies the braking force efficiently & avoids



All-new design to complement the premium and sporty looks of the bike.





Suzuki Eco Performance that offers both low fuel consumption and

#### EIIEL INTECTION



It is equipped with 6 sensors to calculate optimum fuel required for better combustion, thereby improving fuel efficiency.

#### CLID\_ON HANDLE RADS



For a sporty riding position.
FOR GIXXER SF

#### REAR TYRE HUGGER



To complement the stylish design of the premium bike.

## SPLIT SEAT AND GRAB RAIL

Sportier appearance to ensure foot reach by reshaping contact area of the seat with the inner thigh.



Increased rigidity around the front section to rightly suit the separate handle set-up at front



## GIXXER SF/GIXXER GENUINE ACCESSORIES



























#### **GIXXER SF/GIXXER Series Specifications**

Engine	
Engine Type:	4-Cycle, 1-Cylinder, Air-cooled
Valve System:	SOHC
Displacement:	155 cm <sup>3</sup>
Bore x Stroke:	56 mm x 62.9 mm
Max Power:	13.6ps@8000rpm
Max Torque:	13.8Nm@6000rpm
Fuel System:	Fuel Injection
Starter System:	Electric
Transmission Type:	5 Speed, MT

Dimensions and Weight				
Overall Length (GIXXER SF):	2025 mm	Wheels:	Cast	
Overall Length (GIXXER):	2020 mm	Seat Height:	795 mn	
Overall Width (GIXXER SF):	715 mm	Kerb Mass (GIXXER SF):	148 kg	
Overall Width (GIXXER):	800 mm	Kerb Mass (GIXXER):	141 kg	
Overall Height:	1035 mm	Fuel Tank:	12 L	
Wheel Base (GIXXER SF):	1340 mm			
Wheel Base (GIXXER):	1335 mm			
Ground Clearance (GIXXER SF):	165 mm			
Ground Clearance (GIXXER):	160 mm			

Suspension		
Front:	Telescopic	
Rear:	Swing Arm	
Tyre S	Size	
Front:	100/80-17M/C 52P	
Rear:	140/60R17M/C 63P	
Brake		
Front:	Disc	
Rear:	Disc	

Electrical	
Battery:	Maintenance-free, 12V 3Ah
Headlight:	LED
Tail Light:	LED





Regd. Office, Sales & Marketing Office: 2nd Floor, Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi - 110 070. Fax: 011-4607 5418.











