

BORN OF GREATNESS

FROM THE MAKERS OF HAYABUSA AND GSX-R

GIXXER^{SF}

GIXXER

METALLIC TRITON BLUE



SUZUKI
at your Doorstep

POWERED BY

SEP
SUZUKI ECO PERFORMANCE

ABS

FI FUEL
INJECTION



#amGIXXER



GIXXER SF

PEARL
MIRA RED

GLASS
SPARKLE BLACK

METALLIC
TRITON BLUE



GIXXER SF/GIXXER FEATURES

LED HEADLAMP



To complement the mass forward design of the motorcycle along with offering long and wide field of view from its extremely bright LED headlamp.

LED TAIL LAMP



Compact design with highly illuminated LED lights.

DIGITAL INSTRUMENTATION



All necessary functions are packed into a stylish yet compact full-digital speedometer.

41mm LARGE DIAMETER FRONT FORKS



Increased rigidity around the front section to rightly suit the separate handle set-up at front.

DISC ABS



Anti-Lock Brake System* applies the braking force efficiently & avoids wheel lock up.

TWIN MUFFLER



All-new design to complement the premium and sporty looks of the bike.

SEP ENGINE



Suzuki Eco Performance that offers both low fuel consumption and superior acceleration.

FUEL INJECTION



It is equipped with 6 sensors to calculate optimum fuel required for better combustion, thereby improving fuel efficiency.

CLIP-ON HANDLE BARS



For a sporty riding position.
FOR GIXXER SF

REAR TYRE HUGGER



To complement the stylish design of the premium bike.

SPLIT SEAT AND GRAB RAIL



Sportier appearance to ensure foot reach by reshaping contact area of the seat with the inner thigh.

STIFFER FRONT SUSPENSION



Increased rigidity around the front section to rightly suit the separate handle set-up at front.

GIXXER

PEARL
MIRA RED

GLASS
SPARKLE BLACK

METALLIC
TRITON BLUE



GIXXER SF/GIXXER GENUINE ACCESSORIES[^]

SADDLEBAGS



COVER MUFFLER LOWER



DC SOCKET



SEAT COVER



**TAPE SET
TANK PAD BLUE**



**TAPE SET
TANK PAD SILVER**



**TAPE SET
KNEE GRIP PAD**



TAPE SET PROTECTION



KNUCKLE COVER



FOR GIXXER

FRONT BUMPER



FOR GIXXER

UNDER COWLING



FOR GIXXER

METER VISOR



FOR GIXXER SF

GIXXER SF
PEARL MIRA RED ●



GIXXER
PEARL MIRA RED ●



GIXXER SF/GIXXER Series Specifications

Engine

Engine Type:	4-Cycle, 1-Cylinder, Air-cooled
Valve System:	SOHC
Displacement:	155 cm ³
Bore x Stroke:	56 mm x 62.9 mm
Max Power:	13.6ps@8000rpm
Max Torque:	13.8Nm@6000rpm
Fuel System:	Fuel Injection
Starter System:	Electric
Transmission Type:	5 Speed, MT

Dimensions and Weight

Overall Length (GIXXER SF):	2025 mm	Wheels:	Cast
Overall Length (GIXXER):	2020 mm	Seat Height:	795 mm
Overall Width (GIXXER SF):	715 mm	Kerb Mass (GIXXER SF):	148 kg
Overall Width (GIXXER):	800 mm	Kerb Mass (GIXXER):	141 kg
Overall Height:	1035 mm	Fuel Tank:	12 L
Wheel Base (GIXXER SF):	1340 mm		
Wheel Base (GIXXER):	1335 mm		
Ground Clearance (GIXXER SF):	165 mm		
Ground Clearance (GIXXER):	160 mm		

Suspension

Front:	Telescopic
Rear:	Swing Arm

Tyre Size

Front:	100/80-17M/C 52P
Rear:	140/60R17M/C 63P

Brake

Front:	Disc
Rear:	Disc

Electrical

Battery:	Maintenance-free, 12V 3Ah
Headlight:	LED
Tail Light:	LED



#Including 3 Years optional warranty.



Please scan this QR code to visit our website

Regd. Office, Sales & Marketing Office: 2nd Floor, Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi - 110 070. Fax: 011-4607 5418.

Ride safe. Wear a helmet. | Prices of the vehicles are available on our website. Visit us at: www.suzukimotorcycle.co.in /Suzuki2wheelers #amGIXXER /Suzuki2wheelers /Suzuki2wheelers

Specifications, appearances, equipments, colours, materials and other items of the Suzuki product shown in this leaflet are subject to change by the manufacturers at any time without notice and they may vary depending upon local conditions and requirements. Please visit your local dealer for details of any changes. Actual body colour may differ from the colours in this leaflet. *Accessories are not a part of standard equipment. *ABS is not designed to shorten the braking distance. ABS cannot prevent wheel skidding caused by braking while cornering. Please ride carefully and do not overly rely on ABS.